ARCHITECTURAL ELEMENTS: **BOLLARDS**

STORE



GEOMETRY

ARTFORM EXPLOSION

ARTFORM GUIDE

ARTFORM POINT SUN

ARTFORM QUICK BOLLARD

ARTFORM VISION

ARTFORM WORD

LEDA SECURITY
URBAN 2100

LEDA SECURITY
URBAN 4100



MMCITE BARD

MMCITE DONAT

MMCITE ELIAS

MMCITE ISAC

MMCITE LOT

MMCITE MIELON

SLV ABRIDOR
PATHLIGHT 40



SLV ABRIDOR
PATHLIGHT 70



SLV FLATT POLE 65

SLV ABRIDOR POLE

SLV QUAD POLE

SLV RUSTY CONE

SLV RUSTY SLOT

SLV RUSTY SQUARE

SLV TALIZA 90

SLV THEO PATHLIGHT

STREETLIFE ROBUST
BRIGHT BOLLARD

STREETLIFE ROUGH



TECHLIGHTING ARKAY
ONE 36

TECHLIGHTING ARKAY
TWO 36

TECHLIGHTING REVEL 42

TECHLIGHTING STRUT 42

TECHLIGHTING SYNTRA 42

TECHLIGHTING TURBO 42

TECHLIGHTING ZUR 30

THE LIGHT YARD
ECOCITY 350

THE LIGHT YARD
ECOCITY 750

THE LIGHT YARD
ECO FORGE



ARTFORM EXPLOSION

DESCRIPTION

The Explosion Bollards exterior is manufactured from 4mm thick steel sheath, with an internal post in brushed and electropolished stainless steel.

SETTINGS

- Gap distance
- Bollard X Scale
- Bollard Y Scale
- Bollard Z Scale
- Z Ground offset
- Bollard Z Rotation
- Main material type
- Light on/off

MATERIALS

rust metal
black paint
black iron
grey paint
grey painted metal
polished metal

CONTENTS

artform explosion
artform guide
artform pointsun
artform quickbollard
artform vision
artform word
leda security urban 2100
leda security urban 4100
mmcite bard
mmcite donat
mmcite elias
mmcite lot
mmcite mielon
slv pathlight 40
slv pathlight 70
slv abridor pole
slv flattpole 65
slv quad pole
slv rusty cone
slv rusty slot
slv rusty square
slv taliza 90
slv theo pathlight
streetlife robust bright
streetlife rough
techlighting arkayone36
techlighting arakaytwo36
techlighting revel42
techlighting strut42
techlighting syntra42
techlighting turbo42
techlighting zur 30
the light yard ecocity 350
the light yard ecocity 700
the light yard eco forge

ARTFORM GUIDE



DESCRIPTION

Guide is an illuminated bollard which is part of the 35 Collection that can serve as a marker separating vehicular and pedestrian flows, a wayfinder and a pathway light. The striking sculptural form makes it a defining element in the landscape. The bollards curved lens provides uniform diffusion of light. Vertical LED arrays emit light between panels at 120 angles, illuminating the pathway with overlapping swathes of light.

SETTINGS

- Gap distance
- Bollard X Scale
- Bollard Y Scale
- Bollard Z Scale
- Z Ground offset
- Bollard Z Rotation
- Main material type
- Additional Material type
- Light on/off

MATERIALS

- rust metal
- black paint
- black iron
- grey paint
- grey painted metal
- polished metal

CONTENTS

artform explosion
artform guide
artform pointsun
artform quickbollard
artform vision
artform word
leda security urban 2100
leda security urban 4100
mmcite bard
mmcite donat
mmcite elias
mmcite lot
mmcite mielon
slv pathlight 40
slv pathlight 70
slv abridor pole
slv flattpole 65
slv quad pole
slv rusty cone
slv rusty slot
slv rusty square
slv taliza 90
slv theo pathlight
streetlife robust bright
streetlife rough
techlighting arkayone36
techlighting arakaytwo36
techlighting revel42
techlighting strut42
techlighting syntra42
techlighting turbo42
techlighting zur 30
the light yard ecocity 350
the light yard ecocity 700
the light yard eco forge

ARTFORM POINTSUN



DESCRIPTION

The Point Sun is a no-nonsense bollard with an integrated solar power unit. Available in two heights, Point Sun produces ambient guidance lighting with no cables or complicated installation process.

SETTINGS

- Gap distance
- Bollard X Scale
- Bollard Y Scale
- Bollard Z Scale
- Z Ground offset
- Bollard Z Rotation
- Main material type
- Light on/off

MATERIALS

black iron · black paint · matte glass · grey paint · grey painted metal

CONTENTS

artform explosion
artform guide
artform pointsun
artform quickbollard
artform vision
artform word
leda security urban 2100
leda security urban 4100
mmcite bard
mmcite donat
mmcite elias
mmcite lot
mmcite mielon
slv pathlight 40
slv pathlight 70
slv abridor pole
slv flattpole 65
slv quad pole
slv rusty cone
slv rusty slot
slv rusty square
slv taliza 90
slv theo pathlight
streetlife robust bright
streetlife rough
techlighting arkayone36
techlighting arakaytwo36
techlighting revel42
techlighting strut42
techlighting syntra42
techlighting turbo42
techlighting zur 30
the light yard ecocity 350
the light yard ecocity 700
the light yard eco forge

ARTFORM QUICKBOLLARD



DESCRIPTION

The Quick Bollard is made from tubular steel which is hot zinced and polyester powder coated. A removable version is also available supplied with a 114mm diameter steel tube insert (to concrete-in at ground level) with suitable laser-cut flat plate to insert and lock the bollard. This safety system has been designed in such a way that, once it has been removed, there are no open holes in the pavement which would cause potential dangers.

SETTINGS

- Gap distance
- Bollard X Scale
- Bollard Y Scale
- Bollard Z Scale
- Z Ground offset
- Bollard Z Rotation
- Main material type

MATERIALS

grey painted steel

grey painted metal

black iron

dark grey paint

black paint

CONTENTS

artform explosion
artform guide
artform pointsun
artform quickbollard
artform vision
artform word
leda security urban 2100
leda security urban 4100
mmcite bard
mmcite donat
mmcite elias
mmcite lot
mmcite mielon
slv pathlight 40
slv pathlight 70
slv abridor pole
slv flattpole 65
slv quad pole
slv rusty cone
slv rusty slot
slv rusty square
slv taliza 90
slv theo pathlight
streetlife robust bright
streetlife rough
techlighting arkayone36
techlighting arakaytwo36
techlighting revel42
techlighting strut42
techlighting syntra42
techlighting turbo42
techlighting zur 30
the light yard ecocity 350
the light yard ecocity 700
the light yard eco forge

ARTFORM VISION

DESCRIPTION

The Vision Bollard is made entirely out of 10mm thick steel sheet featuring a square base. The rectangular window in the centre of the structure is adorned with opaque compact polycarbonate sheets which are illuminated by a 7.5W LED bar.

SETTINGS

- Gap distance
- Bollard X Scale
- Bollard Y Scale
- Bollard Z Scale
- Z Ground offset
- Bollard Z Rotation
- Main material type
- Light on/off

MATERIALS



CONTENTS
artform explosion
artform guide
artform pointsun
artform quickbollard
artform vision
artform word
leda security urban 2100
leda security urban 4100
mmcite bard
mmcite donat
mmcite elias
mmcite lot
mmcite mielon
slv pathlight 40
slv pathlight 70
slv abridor pole
slv flattpole 65
slv quad pole
slv rusty cone
slv rusty slot
slv rusty square
slv taliza 90
slv theo pathlight
streetlife robust bright
streetlife rough
techlighting arkayone36
techlighting arakaytwo36
techlighting revel42
techlighting strut42
techlighting syntra42
techlighting turbo42
techlighting zur 30
the light yard ecocity 350
the light yard ecocity 700
the light yard eco forge

ARTFORM WORD



DESCRIPTION The Word Bollard, also a cycle stand, is manufactured from a press-folded 10mm thick steel sheet.

SETTINGS
- Gap distance
- Bollard X Scale
- Bollard Y Scale
- Bollard Z Scale
- Z Ground offset
- Bollard Z Rotation
- Main material type

MATERIALS

rust metal · grey painted metal · black iron · grey paint · black paint

CONTENTS

artform explosion
artform guide
artform pointsun
artform quickbollard
artform vision
artform word
leda security urban 2100
leda security urban 4100
mmcite bard
mmcite donat
mmcite elias
mmcite lot
mmcite mielon
slv pathlight 40
slv pathlight 70
slv abridor pole
slv flattpole 65
slv quad pole
slv rusty cone
slv rusty slot
slv rusty square
slv taliza 90
slv theo pathlight
streetlife robust bright
streetlife rough
techlighting arkayone36
techlighting arakaytwo36
techlighting revel42
techlighting strut42
techlighting syntra42
techlighting turbo42
techlighting zur 30
the light yard ecocity 350
the light yard ecocity 700
the light yard eco forge

LEDA SECURITY URBAN 2100

DESCRIPTION

New and great bollards for Urban area's. This range was designed for modern building requirements and has a great blend of steel and timber. Options for lighting make for great effect at night also. Elegant timber combined with galvanised or stainless steel provides an attractive range of 'urban' bollards in either fixed insitu or base plate models. The contrasting infill panels are normally manufactured from merbau, a very durable and termite-resistant wood, however alternative select timber can be incorporated if specified. Matching lighting bollards to suit, are also available.

SETTINGS

- Gap distance
- Bollard X Scale
- Bollard Y Scale
- Bollard Z Scale
- Z Ground offset
- Bollard Z Rotation
- Main material type
- Additional Material Type

MATERIALS

grey painted metal

mahogany wood

rust metal

black iron

grey paint

black paint

CONTENTS

artform explosion
artform guide
artform pointsun
artform quickbollard
artform vision
artform word
leda security urban 2100
leda security urban 4100
mmcite bard
mmcite donat
mmcite elias
mmcite lot
mmcite mielon
slv pathlight 40
slv pathlight 70
slv abridor pole
slv flattpole 65
slv quad pole
slv rusty cone
slv rusty slot
slv rusty square
slv taliza 90
slv theo pathlight
streetlife robust bright
streetlife rough
techlighting arkayone36
techlighting arakaytwo36
techlighting revel42
techlighting strut42
techlighting syntra42
techlighting turbo42
techlighting zur 30
the light yard ecocity 350
the light yard ecocity 700
the light yard eco forge

LEDA SECURITY URBAN 4100



DESCRIPTION

Socrates is a prism with a compact volume that is self-standing, with a sunken baseboard that overcomes geometric accuracy while allowing it to levitate. A bench for occasional use, in artificial stone, with formal characteristics and a pure geometry that convert it into an individual landmark that organises and brings hierarchy to space.

SETTINGS

- Gap distance
- Bollard X Scale
- Bollard Y Scale
- Bollard Z Scale
- Z Ground offset
- Bollard Z Rotation
- Main material type
- Additional Material Type

MATERIALS

grey painted metal

mahogany wood

rust metal

black iron

grey paint

black paint

CONTENTS

artform explosion
artform guide
artform pointsun
artform quickbollard
artform vision
artform word
leda security urban 2100
leda security urban 4100
mmcite bard
mmcite donat
mmcite elias
mmcite lot
mmcite mielon
slv pathlight 40
slv pathlight 70
slv abridor pole
slv flattpole 65
slv quad pole
slv rusty cone
slv rusty slot
slv rusty square
slv taliza 90
slv theo pathlight
streetlife robust bright
streetlife rough
techlighting arkayone36
techlighting arakaytwo36
techlighting revel42
techlighting strut42
techlighting syntra42
techlighting turbo42
techlighting zur 30
the light yard ecocity 350
the light yard ecocity 700
the light yard eco forge

MMCITE BARD



DESCRIPTION

Even the simplest element of street furniture deserves to have an interesting detail. A softly shaped head, distinctly inspired by the world of animals is not only mere decoration; its top inclined surface makes putting away of any objects impossible. Play of light thanks to which the column has different character from each view becomes apparent especially when columns are installed in a row. Careful fabrication of an aluminium casting stuck in a steel galvanized tube completes perfect impression from the whole unit.

SETTINGS

- Gap distance
- Bollard X Scale
- Bollard Y Scale
- Bollard Z Scale
- Z Ground offset
- Bollard Z Rotation
- Main material type
- Additional Material type

MATERIALS



CONTENTS

artform explosion
artform guide
artform pointsun
artform quickbollard
artform vision
artform word
leda security urban 2100
leda security urban 4100
mmcite bard
mmcite donat
mmcite elias
mmcite lot
mmcite mielon
slv pathlight 40
slv pathlight 70
slv abridor pole
slv flattpole 65
slv quad pole
slv rusty cone
slv rusty slot
slv rusty square
slv taliza 90
slv theo pathlight
streetlife robust bright
streetlife rough
techlighting arkayone36
techlighting arakaytwo36
techlighting revel42
techlighting strut42
techlighting syntra42
techlighting turbo42
techlighting zur 30
the light yard ecocity 350
the light yard ecocity 700
the light yard eco forge

MMCITE DONAT



DESCRIPTION

A simple but formally attractive cylindrical bollard with a light T-shaped top made from cast aluminium. The fashionably slim DON100 range is 76 mm in diameter and the robust DON200 range is 114 mm in diameter. An important novelty is the possibility to place lighting under the upper surface of the T-shaped top of the DOE200 bollard using a low voltage LED light source. In this way, we get the opportunity to install one set of identically shaped lit and unlit options into one line.

SETTINGS

- Gap distance
- Bollard X Scale
- Bollard Y Scale
- Bollard Z Scale
- Z Ground offset
- Bollard Z Rotation
- Main material type
- Additional Material type
- Light on/off

MATERIALS

black iron · alluminium grey · black paint · grey paint · grey painted metal

CONTENTS

artform explosion
artform guide
artform pointsun
artform quickbollard
artform vision
artform word
leda security urban 2100
leda security urban 4100
mmcite bard
mmcite donat
mmcite elias
mmcite lot
mmcite mielon
slv pathlight 40
slv pathlight 70
slv abridor pole
slv flattpole 65
slv quad pole
slv rusty cone
slv rusty slot
slv rusty square
slv taliza 90
slv theo pathlight
streetlife robust bright
streetlife rough
techlighting arkayone36
techlighting arakaytwo36
techlighting revel42
techlighting strut42
techlighting syntra42
techlighting turbo42
techlighting zur 30
the light yard ecocity 350
the light yard ecocity 700
the light yard eco forge

MMCITE
ELIAS



DESCRIPTION

This slim and geometrically shaped bollard has a longitudinal cavity whose appearance changes depending on the angle from which it is viewed. Range froma dark shade to full transparency. This simple block with extreme cannelure is very contemporary and yet almost classic in character suitable for any environment. What is dark during the dayis lit up at night. Low voltage LED technology can be also be installed inside the bollard and serve as a decorative lamp with the same design as the rest of the Elias bollards.

SETTINGS

- Gap distance
- Bollard X Scale
- Bollard Y Scale
- Bollard Z Scale
- Z Ground offset
- Bollard Z Rotation
- Main material type
- Light on/off

MATERIALS

black iron · alluminium grey · black paint · grey paint · grey painted metal

CONTENTS

artform explosion
artform guide
artform pointsun
artform quickbollard
artform vision
artform word
leda security urban 2100
leda security urban 4100
mmcite bard
mmcite donat
mmcite elias
mmcite lot
mmcite mielon
slv pathlight 40
slv pathlight 70
slv abridor pole
slv flattpole 65
slv quad pole
slv rusty cone
slv rusty slot
slv rusty square
slv taliza 90
slv theo pathlight
streetlife robust bright
streetlife rough
techlighting arkayone36
techlighting arakaytwo36
techlighting revel42
techlighting strut42
techlighting syntra42
techlighting turbo42
techlighting zur 30
the light yard ecocity 350
the light yard ecocity 700
the light yard eco forge

MMCITE ISAC



DESCRIPTION

A subtle, slightly conical bollard made of aluminium alloy with the embossed municipal emblem on the lower part. Optionally a removable version. Cast aluminium body with powder paint finish. Anchoring under pavement by concealed screws. Optionally the bollard is removable by using a special key.

SETTINGS

- Gap distance
- Bollard X Scale
- Bollard Y Scale
- Bollard Z Scale
- Z Ground offset
- Bollard Z Rotation
- Main material type

MATERIALS

- black iron
- alluminium grey
- black paint
- grey paint
- grey painted metal

CONTENTS

artform explosion
artform guide
artform pointsun
artform quickbollard
artform vision
artform word
leda security urban 2100
leda security urban 4100
mmcite bard
mmcite donat
mmcite elias
mmcite lot
mmcite mielon
slv pathlight 40
slv pathlight 70
slv abridor pole
slv flattpole 65
slv quad pole
slv rusty cone
slv rusty slot
slv rusty square
slv taliza 90
slv theo pathlight
streetlife robust bright
streetlife rough
techlighting arkayone36
techlighting arakaytwo36
techlighting revel42
techlighting strut42
techlighting syntra42
techlighting turbo42
techlighting zur 30
the light yard ecocity 350
the light yard ecocity 700
the light yard eco forge

MMCITE LOT



DESCRIPTION

This smart bollard utilizes a simple L-profile in a unique way. A simple top with safety arching on top. Two different diameter sizes allow one to choose the best proportion for various spaces. The optical impression and silhouette change depending on the visual angle.

SETTINGS

- Gap distance
- Bollard X Scale
- Bollard Y Scale
- Bollard Z Scale
- Z Ground offset
- Bollard Z Rotation
- Main material type

MATERIALS

CONTENTS

artform explosion
artform guide
artform pointsun
artform quickbollard
artform vision
artform word
leda security urban 2100
leda security urban 4100
mmcite bard
mmcite donat
mmcite elias
mmcite lot
mmcite mielon
slv pathlight 40
slv pathlight 70
slv abridor pole
slv flattpole 65
slv quad pole
slv rusty cone
slv rusty slot
slv rusty square
slv taliza 90
slv theo pathlight
streetlife robust bright
streetlife rough
techlighting arkayone36
techlighting arakaytwo36
techlighting revel42
techlighting strut42
techlighting syntra42
techlighting turbo42
techlighting zur 30
the light yard ecocity 350
the light yard ecocity 700
the light yard eco forge

MMCITE MIELON

DESCRIPTION

A cast aluminium bollard of fine anatomy. The slender proportions and softly sculpted shapes of the Mielon bench series offer a two-tier design. The effect isperfectly highlighted with installation of multiple bollards in one row.

SETTINGS

- Gap distance
- Bollard X Scale
- Bollard Y Scale
- Bollard Z Scale
- Z Ground offset
- Bollard Z Rotation
- Main material type

MATERIALS



CONTENTS

artform explosion
artform guide
artform pointsun
artform quickbollard
artform vision
artform word
leda security urban 2100
leda security urban 4100
mmcite bard
mmcite donat
mmcite elias
mmcite lot
mmcite mielon
slv pathlight 40
slv pathlight 70
slv abridor pole
slv flattpole 65
slv quad pole
slv rusty cone
slv rusty slot
slv rusty square
slv taliza 90
slv theo pathlight
streetlife robust bright
streetlife rough
techlighting arkayone36
techlighting arakaytwo36
techlighting revel42
techlighting strut42
techlighting syntra42
techlighting turbo42
techlighting zur 30
the light yard ecocity 350
the light yard ecocity 700
the light yard eco forge

SLV ABRIDOR PATHLIGHT40

DESCRIPTION

Rusty Pathlight 40, garden light, LED 8.9W 3000K (warm white). For almost 40 years, the SLV brand has stood for high-quality lighting solutions with impressive quality, creative design and fair pricing.

SETTINGS

- Gap distance
- Bollard X Scale
- Bollard Y Scale
- Bollard Z Scale
- Z Ground offset
- Bollard Z Rotation
- Main material type
- Light on/off

MATERIALS

rust metal · polished metal · black iron · grey paint · black paint



CONTENTS

artform explosion
artform guide
artform pointsun
artform quickbollard
artform vision
artform word
leda security urban 2100
leda security urban 4100
mmcite bard
mmcite donat
mmcite elias
mmcite lot
mmcite mielon
slv pathlight 40
slv pathlight 70
slv abridor pole
slv flattpole 65
slv quad pole
slv rusty cone
slv rusty slot
slv rusty square
slv taliza 90
slv theo pathlight
streetlife robust bright
streetlife rough
techlighting arkayone36
techlighting arakaytwo36
techlighting revel42
techlighting strut42
techlighting syntra42
techlighting turbo42
techlighting zur 30
the light yard ecocity 350
the light yard ecocity 700
the light yard eco forge

SLV ABRIDOR PATHLIGHT70

DESCRIPTION

Rusty Pathlight 70, garden light, LED 8.9W 3000K (warm white). For almost 40 years, the SLV brand has stood for high-quality lighting solutions with impressive quality, creative design and fair pricing.

SETTINGS

- Gap distance
- Bollard X Scale
- Bollard Y Scale
- Bollard Z Scale
- Z Ground offset
- Bollard Z Rotation
- Main material type
- Light on/off

MATERIALS

rust metal · polished metal · black iron · grey paint · black paint

CONTENTS

artform explosion
artform guide
artform pointsun
artform quickbollard
artform vision
artform word
leda security urban 2100
leda security urban 4100
mmcite bard
mmcite donat
mmcite elias
mmcite lot
mmcite mielon
slv pathlight 40
slv pathlight 70
slv abridor pole
slv flattpole 65
slv quad pole
slv rusty cone
slv rusty slot
slv rusty square
slv taliza 90
slv theo pathlight
streetlife robust bright
streetlife rough
techlighting arkayone36
techlighting arakaytwo36
techlighting revel42
techlighting strut42
techlighting syntra42
techlighting turbo42
techlighting zur 30
the light yard ecocity 350
the light yard ecocity 700
the light yard eco forge

SLV ABRIDOR POLE



DESCRIPTION

Abridor 60 Pole LED Switch-To-Warm, garden light, LED 14W 3000-4000K. For almost 40 years, the SLV brand has stood for high-quality lighting solutions with impressive quality, creative design and fair pricing.

SETTINGS

- Gap distance
- Bollard X Scale
- Bollard Y Scale
- Bollard Z Scale
- Z Ground offset
- Bollard Z Rotation
- Main material type
- Light on/off
- Light Rotation

MATERIALS

rust metal · polished metal · black iron · grey paint · black paint

CONTENTS

artform explosion
artform guide
artform pointsun
artform quickbollard
artform vision
artform word
leda security urban 2100
leda security urban 4100
mmcite bard
mmcite donat
mmcite elias
mmcite lot
mmcite mielon
slv pathlight 40
slv pathlight 70
slv abridor pole
slv flattpole 65
slv quad pole
slv rusty cone
slv rusty slot
slv rusty square
slv taliza 90
slv theo pathlight
streetlife robust bright
streetlife rough
techlighting arkayone36
techlighting arakaytwo36
techlighting revel42
techlighting strut42
techlighting syntra42
techlighting turbo42
techlighting zur 30
the light yard ecocity 350
the light yard ecocity 700
the light yard eco forge

SLV
FLATTPOLE 65

DESCRIPTION

Our FLATT POLE 65 has IP 65 and is therefore brilliant for lighting a path or the terrace. Are you looking for amazing light for your outdoor area? This is provided by the built-in Premium LED of the FLATT POLE 65 floor stand. Incidentally, the FLATT POLE 65 gives you even more advantages as a part of the SLV family. Because we have been successful with our lighting concepts for 40 years, and keep setting the bar higher for ourselves and our products.

SETTINGS

- Gap distance
- Bollard X Scale
- Bollard Y Scale
- Bollard Z Scale
- Z Ground offset
- Bollard Z Rotation
- Main material type
- Additional Material type
- Light on/off

MATERIALS

rust metal · polished metal · black iron · grey paint · black paint

CONTENTS

artform explosion
artform guide
artform pointsun
artform quickbollard
artform vision
artform word
leda security urban 2100
leda security urban 4100
mmcite bard
mmcite donat
mmcite elias
mmcite lot
mmcite mielon
slv pathlight 40
slv pathlight 70
slv abridor pole
slv flattpole 65
slv quad pole
slv rusty cone
slv rusty slot
slv rusty square
slv taliza 90
slv theo pathlight
streetlife robust bright
streetlife rough
techlighting arkayone36
techlighting arakaytwo36
techlighting revel42
techlighting strut42
techlighting syntra42
techlighting turbo42
techlighting zur 30
the light yard ecocity 350
the light yard ecocity 700
the light yard eco forge

SLV QUAD POLE



DESCRIPTION

You can have particularly pleasant lighting outdoors thanks to the integrated Premium LED in the QUAD POLE floor stand. Of course, the lamp head is tiltable. For almost 40 years, the SLV brand has stood for high-quality lighting solutions with impressive quality, creative design and fair pricing.

SETTINGS

- Gap distance
- Bollard X Scale
- Bollard Y Scale
- Bollard Z Scale
- Z Ground offset
- Bollard Z Rotation
- Main material type
- Light on/off
- Light Rotation

MATERIALS

rust metal

polished metal

black iron

grey paint

grey powder iron

black paint

CONTENTS

artform explosion
artform guide
artform pointsun
artform quickbollard
artform vision
artform word
leda security urban 2100
leda security urban 4100
mmcite bard
mmcite donat
mmcite elias
mmcite lot
mmcite mielon
slv pathlight 40
slv pathlight 70
slv abridor pole
slv flattpole 65
slv quad pole
slv rusty cone
slv rusty slot
slv rusty square
slv taliza 90
slv theo pathlight
streetlife robust bright
streetlife rough
techlighting arkayone36
techlighting arakaytwo36
techlighting revel42
techlighting strut42
techlighting syntra42
techlighting turbo42
techlighting zur 30
the light yard ecocity 350
the light yard ecocity 700
the light yard eco forge

SLV RUSTY CONE

DESCRIPTION

You can have particularly pleasant lighting outdoors thanks to the integrated Premium LED in the QUAD POLE floor stand. Of course, the lamp head is tiltable. For almost 40 years, the SLV brand has stood for high-quality lighting solutions with impressive quality, creative design and fair pricing.

SETTINGS

- Gap distance
- Bollard X Scale
- Bollard Y Scale
- Bollard Z Scale
- Z Ground offset
- Bollard Z Rotation
- Main material type
- Light on/off

MATERIALS

rust metal | polished metal | black iron | black paint | grey powder iron



CONTENTS

artform explosion
artform guide
artform pointsun
artform quickbollard
artform vision
artform word
leda security urban 2100
leda security urban 4100
mmcite bard
mmcite donat
mmcite elias
mmcite lot
mmcite mielon
slv pathlight 40
slv pathlight 70
slv abridor pole
slv flattpole 65
slv quad pole
slv rusty cone
slv rusty slot
slv rusty square
slv taliza 90
slv theo pathlight
streetlife robust bright
streetlife rough
techlighting arkayone36
techlighting arakaytwo36
techlighting revel42
techlighting strut42
techlighting syntra42
techlighting turbo42
techlighting zur 30
the light yard ecocity 350
the light yard ecocity 700
the light yard eco forge

SLV RUSTY SLOT 80



DESCRIPTION

Plus bench was designed by Arstiderne Architects specially for Vekso. It's classic and straight lines style fits perfectly into any modern urban space.

SETTINGS

- Gap distance
- Bollard X Scale
- Bollard Y Scale
- Bollard Z Scale
- Z Ground offset
- Bollard Z Rotation
- Main material type
- Light on/off

MATERIALS

rust metal · polished metal · black iron · black paint · grey powder iron

CONTENTS

artform explosion
artform guide
artform pointsun
artform quickbollard
artform vision
artform word
leda security urban 2100
leda security urban 4100
mmcite bard
mmcite donat
mmcite elias
mmcite lot
mmcite mielon
slv pathlight 40
slv pathlight 70
slv abridor pole
slv flattpole 65
slv quad pole
slv rusty cone
slv rusty slot
slv rusty square
slv taliza 90
slv theo pathlight
streetlife robust bright
streetlife rough
techlighting arkayone36
techlighting arakaytwo36
techlighting revel42
techlighting strut42
techlighting syntra42
techlighting turbo42
techlighting zur 30
the light yard ecocity 350
the light yard ecocity 700
the light yard eco forge

SLV RUSTY SQUARE



DESCRIPTION

The lamps in the dmlights Rusty collection have one thing in common... each and every one of these are rust-brown garden poles. The Rusty has a charming appearance that fits perfectly in the garden of a country house. It's the ideal lamp for fans of a rustic ambience.

SETTINGS

- Gap distance
- Bollard X Scale
- Bollard Y Scale
- Bollard Z Scale
- Z Ground offset
- Bollard Z Rotation
- Main material type
- Light on/off

MATERIALS

rust metal · black paint · black iron · grey paint · grey powder iron

CONTENTS

artform explosion
artform guide
artform pointsun
artform quickbollard
artform vision
artform word
leda security urban 2100
leda security urban 4100
mmcite bard
mmcite donat
mmcite elias
mmcite lot
mmcite mielon
slv pathlight 40
slv pathlight 70
slv abridor pole
slv flattpole 65
slv quad pole
slv rusty cone
slv rusty slot
slv rusty square
slv taliza 90
slv theo pathlight
streetlife robust bright
streetlife rough
techlighting arkayone36
techlighting arakaytwo36
techlighting revel42
techlighting strut42
techlighting syntra42
techlighting turbo42
techlighting zur 30
the light yard ecocity 350
the light yard ecocity 700
the light yard eco forge

SLV
TALIZA 90



DESCRIPTION

Round floor stand of the TALIZA series made from weather-resistant stainless steel for direct connection to a 230V mains supply. It is protection class IP44 and suitable for outdoor use.

SETTINGS

- Gap distance
- Bollard X Scale
- Bollard Y Scale
- Bollard Z Scale
- Z Ground offset
- Bollard Z Rotation
- Main material type
- Light on/off

MATERIALS

CONTENTS

artform explosion
artform guide
artform pointsun
artform quickbollard
artform vision
artform word
leda security urban 2100
leda security urban 4100
mmcite bard
mmcite donat
mmcite elias
mmcite lot
mmcite mielon
slv pathlight 40
slv pathlight 70
slv abridor pole
slv flattpole 65
slv quad pole
slv rusty cone
slv rusty slot
slv rusty square
slv taliza 90
slv theo pathlight
streetlife robust bright
streetlife rough
techlighting arkayone36
techlighting arakaytwo36
techlighting revel42
techlighting strut42
techlighting syntra42
techlighting turbo42
techlighting zur 30
the light yard ecocity 350
the light yard ecocity 700
the light yard eco forge

SLV
THEO PATHLIGHT



DESCRIPTION

The THEO floor stand is made from aluminium and is equipped with a glass lamp cover. Thanks to the position of the one or two light outlets, the luminaire can be aligned in the best possible way.

SETTINGS

- Gap distance
- Bollard X Scale
- Bollard Y Scale
- Bollard Z Scale
- Z Ground offset
- Bollard Z Rotation
- Main material type
- Light on/off
- Light Rotation

MATERIALS

rust metal · black iron · grey paint · black paint · grey powder iron · grey painted steel

CONTENTS

artform explosion
artform guide
artform pointsun
artform quickbollard
artform vision
artform word
leda security urban 2100
leda security urban 4100
mmcite bard
mmcite donat
mmcite elias
mmcite lot
mmcite mielon
slv pathlight 40
slv pathlight 70
slv abridor pole
slv flattpole 65
slv quad pole
slv rusty cone
slv rusty slot
slv rusty square
slv taliza 90
slv theo pathlight
streetlife robust bright
streetlife rough
techlighting arkayone36
techlighting arakaytwo36
techlighting revel42
techlighting strut42
techlighting syntra42
techlighting turbo42
techlighting zur 30
the light yard ecocity 350
the light yard ecocity 700
the light yard eco forge

STREETLIFE
ROBUST BRIGHT

DESCRIPTION

Robust Bright Bollards are made of thick-walled CorTen steel with an integrated stainless steel sheet to spread the LED light. The bollards are LED-Ready, which means that a standard LED fixture can be mounted at the top of the bollard by a local electrician, or optionally included by Streetlife. The CorTen Bollard can be securely and invisible anchored to the surface, or with a steel ground anchor invisibly.

SETTINGS

- Gap distance
- Bollard X Scale
- Bollard Y Scale
- Bollard Z Scale
- Z Ground offset
- Bollard Z Rotation
- Main material type
- Additional Material Type
- Light on/off

MATERIALS

rust metal
weathered steel
black iron
grey paint
grey powder iron
black paint

CONTENTS

artform explosion
artform guide
artform pointsun
artform quickbollard
artform vision
artform word
leda security urban 2100
leda security urban 4100
mmcite bard
mmcite donat
mmcite elias
mmcite lot
mmcite mielon
slv pathlight 40
slv pathlight 70
slv abridor pole
slv flattpole 65
slv quad pole
slv rusty cone
slv rusty slot
slv rusty square
slv taliza 90
slv theo pathlight
streetlife robust bright
streetlife rough
techlighting arkayone36
techlighting arakaytwo36
techlighting revel42
techlighting strut42
techlighting syntra42
techlighting turbo42
techlighting zur 30
the light yard ecocity 350
the light yard ecocity 700
the light yard eco forge

STREETLIFE ROUGH

DESCRIPTION

The R&R range also includes the robust Rough&Ready Bollards: These robust beams in FSC® hardwood or in All Black are combined with a solid galvanized steel or CorTen steel frame. The beams are covered on the top and are mounted by means of stainless-steel theft-proof flange nuts.

SETTINGS

- Gap distance
- Bollard X Scale
- Bollard Y Scale
- Bollard Z Scale
- Z Ground offset
- Bollard Z Rotation
- Main material type
- Additional Material type

MATERIALS

rust metal

weathered steel

black iron

grey paint

grey powder iron

black paint

CONTENTS

artform explosion

artform guide

artform pointsun

artform quickbollard

artform vision

artform word

leda security urban 2100

leda security urban 4100

mmcite bard

mmcite donat

mmcite elias

mmcite lot

mmcite mielon

slv pathlight 40

slv pathlight 70

slv abridor pole

slv flattpole 65

slv quad pole

slv rusty cone

slv rusty slot

slv rusty square

slv taliza 90

slv theo pathlight

streetlife robust bright

streetlife rough

techlighting arkayone36

techlighting arakaytwo36

techlighting revel42

techlighting strut42

techlighting syntra42

techlighting turbo42

techlighting zur 30

the light yard ecocity 350

the light yard ecocity 700

the light yard eco forge

TECHLIGHTING
ARKAY ONE 36



DESCRIPTION

The Arkay One LED bollard by Tech Lighting offers an understated, contemporary design that delivers beautifully controlled outdoor lighting while unobtrusively blending with surrounding architecture and landscape details. Wide Type II asymmetric light distribution is ideal for outdoor path and campus illumination.

SETTINGS

- Gap distance
- Bollard X Scale
- Bollard Y Scale
- Bollard Z Scale
- Z Ground offset
- Bollard Z Rotation
- Main material type
- Light on/off

MATERIALS

CONTENTS

artform explosion
artform guide
artform pointsun
artform quickbollard
artform vision
artform word
leda security urban 2100
leda security urban 4100
mmcite bard
mmcite donat
mmcite elias
mmcite lot
mmcite mielon
slv pathlight 40
slv pathlight 70
slv abridor pole
slv flattpole 65
slv quad pole
slv rusty cone
slv rusty slot
slv rusty square
slv taliza 90
slv theo pathlight
streetlife robust bright
streetlife rough
techlighting arkayone36
techlighting arakaytwo36
techlighting revel42
techlighting strut42
techlighting syntra42
techlighting turbo42
techlighting zur 30
the light yard ecocity 350
the light yard ecocity 700
the light yard eco forge

TECHLIGHTING
ARAKAY TWO 36



DESCRIPTION

The Arkay Two LED bollard by Tech Lighting offers an understated, contemporary design that delivers beautiful outdoor lighting while unobtrusively blending with surrounding architecture and landscape details. Symmetrical light distribution aims light downward creating pools of tightly controlled light, ideal for outdoor path and campus illumination.

SETTINGS

- Gap distance
- Bollard X Scale
- Bollard Y Scale
- Bollard Z Scale
- Z Ground offset
- Bollard Z Rotation
- Main material type
- Light on/off

MATERIALS

black iron · weathered steel · black paint · grey paint · dirty bronze metal

CONTENTS

artform explosion
artform guide
artform pointsun
artform quickbollard
artform vision
artform word
leda security urban 2100
leda security urban 4100
mmcite bard
mmcite donat
mmcite elias
mmcite lot
mmcite mielon
slv pathlight 40
slv pathlight 70
slv abridor pole
slv flattpole 65
slv quad pole
slv rusty cone
slv rusty slot
slv rusty square
slv taliza 90
slv theo pathlight
streetlife robust bright
streetlife rough
techlighting arkayone36
techlighting arakaytwo36
techlighting revel42
techlighting strut42
techlighting syntra42
techlighting turbo42
techlighting zur 30
the light yard ecocity 350
the light yard ecocity 700
the light yard eco forge

TECHLIGHTING
REVEL 42



DESCRIPTION

The uniquely modern Revel outdoor bollard light by Tech Lighting features a sleek metal surface that is laser-cut with horizontal slots which allow the LED light to shine through an inner white diffuser. The subtle, ambient glow enhances way-finding on paths or in landscape applications. The Revel bollard features a universal driver with built-in surge protection. This unique outdoor light fixture comes in two powder coat finishes Charcoal and Bronze.

SETTINGS

- Gap distance
- Bollard X Scale
- Bollard Y Scale
- Bollard Z Scale
- Z Ground offset
- Bollard Z Rotation
- Main material type
- Light on/off

MATERIALS

CONTENTS

artform explosion
artform guide
artform pointsun
artform quickbollard
artform vision
artform word
leda security urban 2100
leda security urban 4100
mmcite bard
mmcite donat
mmcite elias
mmcite lot
mmcite mielon
slv pathlight 40
slv pathlight 70
slv abridor pole
slv flattpole 65
slv quad pole
slv rusty cone
slv rusty slot
slv rusty square
slv taliza 90
slv theo pathlight
streetlife robust bright
streetlife rough
techlighting arkayone36
techlighting arakaytwo36
techlighting revel42
techlighting strut42
techlighting syntra42
techlighting turbo42
techlighting zur 30
the light yard ecocity 350
the light yard ecocity 700
the light yard eco forge

TECHLIGHTING
STRUT 42



DESCRIPTION

The Strut LED bollard by Tech Lighting exemplifies the epitome of a modern, minimalist design. The thin, unobtrusive clean lines of the Strut bollard can effortlessly disappear into its setting or can be positioned to make a bold statement. A singular line of LED down lighting with wide, Type II asymmetric light distribution, is ideal for outdoor path and campus illumination.

SETTINGS

- Gap distance
- Bollard X Scale
- Bollard Y Scale
- Bollard Z Scale
- Z Ground offset
- Bollard Z Rotation
- Main material type
- Light on/off

MATERIALS

- black iron
- weathered steel
- dark grey paint
- black paint

CONTENTS

artform explosion
artform guide
artform pointsun
artform quickbollard
artform vision
artform word
leda security urban 2100
leda security urban 4100
mmcite bard
mmcite donat
mmcite elias
mmcite lot
mmcite mielon
slv pathlight 40
slv pathlight 70
slv abridor pole
slv flattpole 65
slv quad pole
slv rusty cone
slv rusty slot
slv rusty square
slv taliza 90
slv theo pathlight
streetlife robust bright
streetlife rough
techlighting arkayone36
techlighting arakaytwo36
techlighting revel42
techlighting strut42
techlighting syntra42
techlighting turbo42
techlighting zur 30
the light yard ecocity 350
the light yard ecocity 700
the light yard eco forge

TECHLIGHTING SYNTRA 42



DESCRIPTION

Exhibiting a modern, Zen-like design approach, the Syntra outdoor bollard by Tech Lighting blends seamlessly into contemporary architecture and landscapes. The symmetric down lighting provides abundant outdoor illumination while the clean, angular aesthetic maintains an understated elegance.

SETTINGS

- Gap distance
- Bollard X Scale
- Bollard Y Scale
- Bollard Z Scale
- Z Ground offset
- Bollard Z Rotation
- Main material type
- Light on/off

MATERIALS

black iron · polished metal · rust metal · grey paint · black paint

CONTENTS

artform explosion
artform guide
artform pointsun
artform quickbollard
artform vision
artform word
leda security urban 2100
leda security urban 4100
mmcite bard
mmcite donat
mmcite elias
mmcite lot
mmcite mielon
slv pathlight 40
slv pathlight 70
slv abridor pole
slv flattpole 65
slv quad pole
slv rusty cone
slv rusty slot
slv rusty square
slv taliza 90
slv theo pathlight
streetlife robust bright
streetlife rough
techlighting arkayone36
techlighting arakaytwo36
techlighting revel42
techlighting strut42
techlighting syntra42
techlighting turbo42
techlighting zur 30
the light yard ecocity 350
the light yard ecocity 700
the light yard eco forge

TECHLIGHTING TURBO 42



DESCRIPTION

The Turbo outdoor LED bollard features a clean, cylindrical silhouette highlighted with decorative fins evenly spaced around the circumference which create beautiful geometric shadows when illuminated by the powerful LED light source shining down from the crown.

SETTINGS

- Gap distance
- Bollard X Scale
- Bollard Y Scale
- Bollard Z Scale
- Z Ground offset
- Bollard Z Rotation
- Main material type
- Light on/off

MATERIALS

CONTENTS

artform explosion
artform guide
artform pointsun
artform quickbollard
artform vision
artform word
leda security urban 2100
leda security urban 4100
mmcite bard
mmcite donat
mmcite elias
mmcite lot
mmcite mielon
slv pathlight 40
slv pathlight 70
slv abridor pole
slv flattpole 65
slv quad pole
slv rusty cone
slv rusty slot
slv rusty square
slv taliza 90
slv theo pathlight
streetlife robust bright
streetlife rough
techlighting arkayone36
techlighting arakaytwo36
techlighting revel42
techlighting strut42
techlighting syntra42
techlighting turbo42
techlighting zur 30
the light yard ecocity 350
the light yard ecocity 700
the light yard eco forge

TECHLIGHTING ZUR 30



DESCRIPTION

Exhibiting a refined and unadorned minimalist aesthetic, the Zur bollard by Tech Lighting features an innovative 300° pivot design that aims light precisely for exterior way-finding, architectural accents or landscape illumination. Zur bollards blend seamlessly into contemporary architecture and landscapes while providing efficient LED illumination.

SETTINGS

- Gap distance
- Bollard X Scale
- Bollard Y Scale
- Bollard Z Scale
- Z Ground offset
- Bollard Z Rotation
- Main material type
- Additional Material Type
- Light Rotation

MATERIALS

- black iron
- polished metal
- rust metal
- grey paint
- black paint
- grey powder iron

CONTENTS

artform explosion
artform guide
artform pointsun
artform quickbollard
artform vision
artform word
leda security urban 2100
leda security urban 4100
mmcite bard
mmcite donat
mmcite elias
mmcite lot
mmcite mielon
slv pathlight 40
slv pathlight 70
slv abridor pole
slv flattpole 65
slv quad pole
slv rusty cone
slv rusty slot
slv rusty square
slv taliza 90
slv theo pathlight
streetlife robust bright
streetlife rough
techlighting arkayone36
techlighting arakaytwo36
techlighting revel42
techlighting strut42
techlighting syntra42
techlighting turbo42
techlighting zur 30
the light yard ecocity 350
the light yard ecocity 700
the light yard eco forge

THE LIGHT YARD
ECOCITY 350

DESCRIPTION

The Eco City 350 LED Bollard has been designed to shine light down onto a path or road and is an ideal bollard light for both commercial and residential use. It is the perfect exterior bollard light for discreet lighting of paths, gardens, driveways, patios, walkways around the home, hotels and commercial landscape lighting.

SETTINGS

- Gap distance
- Bollard X Scale
- Bollard Y Scale
- Bollard Z Scale
- Z Ground offset
- Bollard Z Rotation
- Main material type
- Additional Material Type
- Light on/off

MATERIALS

walnut wood light

weathered steel

rust iron

polished metal

black iron

black paint



CONTENTS

artform explosion
artform guide
artform pointsun
artform quickbollard
artform vision
artform word
leda security urban 2100
leda security urban 4100
mmcite bard
mmcite donat
mmcite elias
mmcite lot
mmcite mielon
slv pathlight 40
slv pathlight 70
slv abridor pole
slv flattpole 65
slv quad pole
slv rusty cone
slv rusty slot
slv rusty square
slv taliza 90
slv theo pathlight
streetlife robust bright
streetlife rough
techlighting arkayone36
techlighting arakaytwo36
techlighting revel42
techlighting strut42
techlighting syntra42
techlighting turbo42
techlighting zur 30
the light yard ecocity 350
the light yard ecocity 700
the light yard eco forge

THE LIGHT YARD
ECOCITY 700

DESCRIPTION

The Eco City 700 LED Bollard has been designed to shine light down onto a path or road and is an ideal bollard light for both commercial and residential use. It is the perfect exterior bollard light for discreet lighting of paths, gardens, driveways, patios, walkways around the home, hotels and commercial landscape lighting.

SETTINGS

- Gap distance
- Bollard X Scale
- Bollard Y Scale
- Bollard Z Scale
- Z Ground offset
- Bollard Z Rotation
- Main material type
- Additional Material Type
- Light on/off

MATERIALS

walnut wood light

weathered steel

rust iron

polished metal

black iron

black paint

CONTENTS

artform explosion
artform guide
artform pointsun
artform quickbollard
artform vision
artform word
leda security urban 2100
leda security urban 4100
mmcite bard
mmcite donat
mmcite elias
mmcite lot
mmcite mielon
slv pathlight 40
slv pathlight 70
slv abridor pole
slv flattpole 65
slv quad pole
slv rusty cone
slv rusty slot
slv rusty square
slv taliza 90
slv theo pathlight
streetlife robust bright
streetlife rough
techlighting arkayone36
techlighting arakaytwo36
techlighting revel42
techlighting strut42
techlighting syntra42
techlighting turbo42
techlighting zur 30
the light yard ecocity 350
the light yard ecocity 700
the light yard eco forge

THE LIGHT YARD
ECO FORGE



DESCRIPTION

The ECO Forge LED Bollard has been designed to shine light down directly onto a path or road and is an ideal bollard light for both commercial and residential use. It is the perfect exterior bollard light for discreet lighting of paths, gardens, driveways, patios, walkways around the home, hotels and commercial landscape lighting.

SETTINGS

- Gap distance
- Bollard X Scale
- Bollard Y Scale
- Bollard Z Scale
- Z Ground offset
- Bollard Z Rotation
- Main material type
- Additional Material Type
- Light on/off

MATERIALS

rust metal

polished metal

black iron

black paint

grey powder iron

rust/dark corten blend

CONTENTS

artform explosion

artform guide

artform pointsun

artform quickbollard

artform vision

artform word

leda security urban 2100

leda security urban 4100

mmcite bard

mmcite donat

mmcite elias

mmcite lot

mmcite mielon

slv pathlight 40

slv pathlight 70

slv abridor pole

slv flattpole 65

slv quad pole

slv rusty cone

slv rusty slot

slv rusty square

slv taliza 90

slv theo pathlight

streetlife robust bright

streetlife rough

techlighting arkayone36

techlighting arakaytwo36

techlighting revel42

techlighting strut42

techlighting syntra42

techlighting turbo42

techlighting zur 30

the light yard ecocity 350

the light yard ecocity 700

the light yard eco forge

www.geometryy.store